



EYE PROTECTION

PERSONAL PROTECTIVE EQUIPMENT



Riley e STREAM EVO™



- › Soft, ventilated MEGA-FLEX™ temple tips provide a comfortable, secure fit
- › Interchangeable and removable adjustable headband
- › Soft, adjustable, anti-slip nose bridge
- › TECTON 400 K&N anti-scratch and anti-fog coating with UV400*

| CLEAR* | GREY* | ANTI-REFLECTIVE | TWILIGHT |
|----------|----------|-----------------|----------|
| RLY00361 | RLY00362 | RLY00363 | RLY00364 |

Riley e STREAM™



- › Soft, adjustable, anti-slip nose bridge
- › 100% metal free
- › Lightweight 23g
- › TECTON K&N anti-scratch and anti-fog coating*
- › ARIDA moisture repellent coating**
- › Available in three side arm colours: Red blue and green

| | CLEAR* | GREY* | AMBER* | BLUE* | INDOOR/OUTDOOR** |
|-------|----------|----------|----------|----------|------------------|
| RED | RLY00201 | RLY00202 | RLY00204 | - | RLY00203 |
| BLUE | RLY00231 | RLY00232 | RLY00234 | RLY00235 | RLY00233 |
| GREEN | RLY00211 | - | - | - | - |

Riley e QUADRO™



- › Sports style sealed design
- › Washable, soft TPE/foam inner frame seal provides a close, comfortable facial fit
- › Side-arms can be removed and easily replaced by the enclosed head strap
- › TECTON 400 K&N anti-scratch and anti-fog coating with UV400

| CLEAR | GREY |
|----------|----------|
| RLY00311 | RLY00312 |

Riley e SCRIPT™



- › Integrated deep fit lateral protection
- › Slim fit textured temples
- › Soft TPE nose pads
- › RX compatible
- › TECTON 400 K&N anti-scratch and anti-fog coating with UV400

| CLEAR | GREY | POLARISED |
|----------|----------|-----------|
| RLY00251 | RLY00252 | RLY00253 |

Riley e FLUX™



- › Soft, adjustable anti-slip nose bridge
- › 100% metal free
- › Anti-fog and anti-scratch coatings (EN 166 K&N)
- › Available in 2 sizes: Regular and Small frame sizes

| CLEAR | | GREY | |
|--------------|--------------|--------------|--------------|
| REG RLY00371 | SML RLY00381 | REG RLY00372 | SML RLY00382 |



Riley e SISINI™



- › Sports style design
- › Soft adjustable PVC nose bridge
- › Revo and polarised lens tint options available
- › TECTON K&N anti-scratch and anti-fog coating*
- › ARIDA moisture repellent coating**

| CLEAR* | GREY* | AMBER* | REVO** | POLARISED* |
|----------|----------|----------|----------|------------|
| RLY00131 | RLY00132 | RLY00133 | RLY00134 | RLY00135 |

Riley e KOSMA™



- › Soft TPE non-slip bridge
- › Flexible temple tips
- › 100% metal free
- › TECTON K&N anti-scratch and anti-fog coating

| CLEAR | GREY |
|----------|----------|
| RLY00321 | RLY00322 |

Riley e BLITZ™



- › Stylish sports style frame with lateral protection
- › Soft TPE non-slip universal fit nose-bridge
- › Polarised lens option maximises visibility in bright light
- › TECTON 400 K&N anti-scratch and anti-fog coating with UV400

| CLEAR | POLARISED |
|----------|-----------|
| RLY00031 | RLY00032 |

Riley e RILETTO ULTRA-LITE™



- › Lightweight 20g
- › Ultra slim temples with 'grip zone' tips enhance excellent universal fit
- › TECTON 400 K&N anti-scratch and anti-fog coating with UV400*

| CLEAR* | GREY* | BLUE* | INDOOR/OUTDOOR |
|----------------|----------|----------|----------------|
| CLEAR RLY00331 | RLY00332 | RLY00333 | RLY00334 |
| BLACK RLY00341 | RLY00342 | RLY00343 | RLY00344 |

Riley e ARION™



- › Sports style sealed design
- › Soft TPE padded seal enhances comfort and protection
- › Inclinable temple adjustment allows easy fit onto most faces
- › TECTON K&N anti-scratch and anti-fog coating

| CLEAR | GREY |
|----------|----------|
| RLY00021 | RLY00022 |

Riley e RETNA™



- › Lightweight 21g
- › Single wide vision lens
- › Uniquely flexible sidearms give unrivalled comfort and grip
- › TECTON K&N anti-scratch and anti-fog coating*
- › ARIDA moisture repellent coating**

| CLEAR* | GREY* | AMBER* | BLUE* | INDOOR/OUTDOOR** |
|----------|----------|----------|----------|------------------|
| RLY00091 | RLY00092 | RLY00093 | RLY00095 | RLY00094 |

Riley e ELIPTA™



- › Contemporary sports style frame
- › Soft adjustable non-slip TPE universal nose-bridge
- › Soft flexible co-injected temples
- › TECTON K&N anti-scratch and anti-fog coating

| CLEAR | GREY |
|----------|----------|
| RLY00061 | RLY00062 |

Riley e
SIVION™



- › Carbon fibre effect
- › Deep fit lateral protection
- › Aero-slotted side arms
- › TECTON K&N anti-scratch and anti-fog coating*
- › ARIDA moisture repellent coating**

| | | |
|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| CLEAR* | GREY* | INDOOR/OUTDOOR** |
| RLY00141 | RLY00142 | RLY00143 |

Riley e
FABRI™



- › Single wraparound polycarbonate lens
- › Universal nose bridge
- › Lightweight 22g
- › Standard anti-scratch coating

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
| CLEAR | GREY |
| RLY00191 | RLY00192 |

Benchmark
BM08™



- › Close-fitting protection
- › Universal nose bridge
- › Anti-scratch lens

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
| CLEAR | GREY |
| RLYB0021 | RLYB0022 |

Benchmark
BM14™



- › Integral side shield
- › 3 point adjustable temple length arms
- › Universal nose bridge
- › Anti-scratch* and anti-fog options**

| | | |
|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| CLEAR* | CLEAR** | GREY* |
| RLYB0061 | RLYB0062 | RLYB0063 |

Riley e
LENTA™



- › Adjustable, soft TPE non-slip universal fit nose-bridge
- › Fully adjustable temples
- › TECTON 400 K&N anti-scratch and anti-fog coating with UV400

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
| CLEAR | GREY |
| RLY00081 | RLY00082 |

Riley e
FRESNA™



- › 100% metal free
- › Close fitting lateral protection
- › Universal nose-bridge
- › Standard anti-scratch coating

| | | |
|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| CLEAR | GREY | AMBER |
| RLY00071 | RLY00072 | RLY00073 |

Riley e
AREZZO™



- › Low profile design
- › Soft PVC comfort frame
- › Fully adjustable pivoted head strap
- › Standard anti-fog coating

| |
|-----------------------|
| <input type="radio"/> |
| CLEAR |
| RLY00161 |

Riley e
VELIA™



- › Padded face seal
- › Quick release head strap buckle for ease of fitting when wearing a helmet
- › Molten metal splash protection
- › RX compatible
- › RX optical insert available – see P6
- › Standard anti-fog coating

| |
|-----------------------|
| <input type="radio"/> |
| CLEAR |
| RLY00221 |

Riley e
TILLA™



- › Over-glasses style
- › Ventilated temple tips and side shields
- › Brow protection
- › Anti-fog lens
- › UV400 protection

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
| CLEAR | GREY |
| RLY00461 | RLY00462 |

Benchmark
BM10™



- › Over-glasses style
- › Brow protection
- › Ventilated temples
- › Anti-scratch lens

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
| CLEAR | DARK GREY |
| RLYB0031 | RLYB0032 |

Riley e
SYNCRA™



- › Padded face seal
- › Molten metal splash protection (Goggle only)
- › Available with optional face protector
- › Standard anti-fog coating*

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
| CLEAR* | FACE PROTECTOR |
| RLY00171 | RLY00172 |

Riley e
VUETIX™



- › Padded face seal
- › Molten metal splash protection (Goggle only)
- › Available with optional face screen
- › Standard anti-fog coating*

| | |
|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> |
| CLEAR* | FACE PROTECTOR |
| RLY00181 | RLY00182 |

Riley e
ROKKA™



Frame Colour: Red ● Green ●
Blue ● Grey ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 59MM | 17MM | 135MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 6.00 | | | |

Riley e
SCRIPT™



Frame Colour: Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 60MM | 18MM | 130MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 4.00 | | | |

Riley e
SWARM™



Frame Colour: Blue/Black ● Grey/Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 59MM | 18MM | 130MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 6.00 | | | |

Riley e
SIVION™



Frame Colour: Carbon Fibre Effect Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 61MM | 18MM | 125MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 4.00 | | | |

Riley e
OPTICAL INSERT™



For use with: Velia Goggle

| LENS (EYESIZE) | LENS |
|--|---------|
| 50MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | |

Riley e
R101™



Frame Colour: Shiny Anthracite ● Tip Colour: Solid Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 57MM | 16MM | 145MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

Riley e
R105™



Frame Colour: Brushed Brown ● Tip Colour: Solid Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 55MM | 17MM | 140MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

Riley e
R102™



Frame Colour: Brushed Anthracite ● Tip Colour: Solid Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 54MM | 15MM | 140MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

Riley e
R106™



Frame Colour: Matt Black ● Tip Colour: Solid Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 55MM | 17MM | 145MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

Riley e
R103™



Frame Colour: Shiny Dark Navy ● Tip Colour: Solid Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 55MM | 16MM | 140MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

Riley e
R107™



Frame Colour: Gunmetal ● Tip Colour: Solid Black ●

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 56MM | 16MM | 145MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

Riley e
R104™



Frame Colour: Shiny Teal ● Tip Colour: Solid Black ●
Gunmetal colour frame version available – see **R108** →

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 52MM | 15MM | 130MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

Riley e
R108™




Frame Colour: Gunmetal ● Tip Colour: Solid Black ●
← Teal colour frame version available – see **R104**

| LENS (EYESIZE) | NOSEPIECE | TEMPLE LENGTH | LENS |
|--|-----------|---------------|---------|
| 52MM | 15MM | 130MM | ● CLEAR |
| PRESCRIPTION STRENGTH UP TO A COMBINED MAXIMUM OF +/- 8.00 | | | |

LENS COATING TECHNOLOGY

TECTON™ ANTI-SCRATCH AND ANTI-FOG (EN 166: K&N)

For enhanced durability the Riley TECTON™ coating, available as standard across the majority of the range, delivers the highest-grade anti-scratch and anti-fog treatments available and is applied on both the inner and outer surfaces of the lenses.




TECTON 400™ ANTI-SCRATCH, ANTI-FOG, UV400 (EN 166: K&N)

Lenses with the Riley TECTON 400 coating prevent light at the higher end of the UV spectrum from passing through the eyewear from the sun. This coating still contains the high performance anti-fogging and anti-scratch properties of TECTON which is applied to both sides of the lens.



ARIDA™ MOISTURE REPELLENCY

Clarity of vision is provided for outdoor workers through the ARIDA™ coating. The moisture-repellent ARIDA coating on the outer surface helps to prevent water droplets from sticking to the lenses. The inner surface also features anti-fogging properties.



VIVID™ LENS CLEANING SOLUTIONS

MULTI-FUNCTION LENS CLEANING STATION



- ✓ Convenient 'ready-to-hang' solution
- ✓ Comprises 250 dry tissues and 500ml cleaning fluid
- ✓ Dispenser degradable after use

Order Code: RLYA008

LENS CLEANING SPRAY



- ✓ 500ml spray bottle
- ✓ Alcohol and silicone-free
- ✓ Anti-reflective
- ✓ Anti-static

Order Code: RLYA006

DRY CLEANING TISSUES



- ✓ Contains 250 dry cleaning tissues
- ✓ Ideal to use with the Riley® VIVID™ lens cleaning spray

Order Code: RLYA007

MOIST LENS CLEANING TISSUES



- ✓ Convenient 'ready-to-hang' dispensing solution
- ✓ Comprises 200 pre-moistened individually-wrapped lens wipes
- ✓ Anti-static, anti-reflective and anti-bacterial
- ✓ Alcohol and silicone free
- ✓ Dispenser degradable after use


Order Code: RLYA005

FRAME AND LENS MARKING


| PRODUCT | LENS MARKINGS | | | | | | | | | | FRAME MARKINGS |
|----------------------|-----------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|----------|-------------------|------------------|
| | CLEAR | GREY | DARK GREY | AMBER | BLUE | INDOOR/OUTDOOR | POLARISED | ANTI-REFLECTIVE | TWILIGHT | REVO | |
| AREZZO | 2C-1.2 1FTKN CE | - | - | - | - | - | - | - | - | - | EN 166 3BT CE |
| ARION | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| BLITZ | 2C-1.2 1FTKN CE | - | - | - | - | - | 5-3.1 1F CE | - | - | - | EN 166 FT CE |
| BM08 | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| BM10 | 2C-1.2 1FTKN CE | - | 5-3.1 1FTKN CE | - | - | - | - | - | - | - | EN 166 FT CE |
| BM14 | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 F CE BM14 |
| ELIPTA | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| FABRI | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| FLUX | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| FRESNA | 2-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | 2-1.2 1FTKN CE | - | - | - | - | - | - | EN 166 FT CE |
| KOSMA | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| LENTA | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| QUADRO | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| RETNA | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | 2C-1.2 1FTKN CE | 5-1.7 1FTKN CE | 5-1.7 1FTKN CE | - | - | - | - | EN 166 FT CE |
| SCRIPT | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | 5-2.5 1FTKN CE | - | - | - | EN 166 FT CE |
| SISINI | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | 2C-1.2 1FTKN CE | - | - | 5-3.1 1FTKN CE | - | - | 5-2.5 1FTKN CE | EN 166 FT CE |
| SIVION | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | 2-1.4 1FTKN CE | - | - | - | - | EN 166 FT CE |
| STREAM | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | 2C-1.2 1FTKN CE | 2-1.4 1FTKN CE | 5-1.7 1FTKN CE | - | - | - | - | EN 166 FT CE |
| STREAM EVO | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | 5-1.7 1FTKN CE | 5-1.7 1FTKN CE | - | - | EN 166 FT CE |
| SYNCRA | 2C-1.2 1FT9KN CE | - | - | - | - | - | - | - | - | - | EN 166 349BT CE |
| TILLA | 2C-1.2 1FTKN CE | 5-2.5 1FTKN CE | - | - | - | - | - | - | - | - | EN 166 FT CE |
| VELIA | 2C-1.2 1FT9KN CE | - | - | - | - | - | - | - | - | - | EN 166 349BT CE |
| VUETIX | 2C-1.2 1FT9KN CE | - | - | - | - | - | - | - | - | - | EN 166 349BT CE |
| ALL RILEY RX GLASSES | 2C-1.2 VL 1FTKN CE | - | - | - | - | - | - | - | - | - | VL EN 166 FT CE |

GUIDE TO FRAME AND LENS MARKING

LENS MARKING



FRAME MARKING



Our Riley and Benchmark protective eyewear products are manufactured according to the requirements of the **Standard EN 166:2001** and certified by independent laboratories (INSPEC, CERTOTTICA SCARL and SATRA) according to European standards. Each product is designed to satisfy the requirements of the **European Directive 89/686/CEE** regarding equipment for individual protection.

GLOBUS EMEA +971 4 882 9962 • gcc@globusgroup.com • www.globusgroup.com/gcc
UA03, 831st Street, Jebel Ali, Dubai, United Arab Emirates

GLOBUS and Riley are registered trademarks. All other trademarks are property of their respective owners.
© 2018 Globus (Shetland) Ltd | GLOBUS-BROCH-EMEA-EP-0318_3

