


General Product

Catalogue



KAVALANI & SONS W.L.L.



Introduction

Kavalani & Sons is an **ISO 9001:2015 Certified**, professionally managed organization, committed to offering complete customer satisfaction. We are Bahrain's most innovative supplier of Industrial, Construction, Safety, HVAC, Electrical, Plumbing, Waterproofing, Interior and Marine Equipment and have been in the market for more than 60 Years.

We offer more than 60,000 products from the world's market leading brands under one roof. We strongly believe in innovation and are constantly on the look out to bring innovative products and solutions to the market.

Our quest to introduce new state-of-the-art technologies and products has led to our diversification across different divisions and product lines. Our customers come to us expecting more than just a product, they look out for solutions.

We are pleased to introduce our first **"GENERAL PRODUCT CATALOGUE"** which brings together all reputed brands with International Standard into one Single Source.

“

ONE
SOURCE

MANY
SOLUTIONS

”



- 08** **AWELCO**
Welding Machines • *Construction*
- 09** **BATMATIC**
Compactors & Rammers • *Construction*
- 10** **BDS**
Magnetic Drilling Machines • *Construction*
- 11** **FA-SA**
Wet & Dry Vacuum Cleaners • *Construction*
- 12** **DeWALT**
Accessories • *Construction*
- 13** **DeWALT**
Special Tools • *Construction*
- 14** **BLACK+DECKER**
Air Compressors • *Construction*
- 15** **SIMA | ANNOVI REVERBERI**
Rebar Cutting & Bending / Masonry Saws | High Pressure Power-Jet Cleaners • *Construction*
- 16** **RIDGID**
Professional Hand Tools & Accessories • *Construction*
- 17** **RIDGID**
Professional Tools • *Construction*
- 18** **TYROLIT**
Machines & Tools • *Construction*
- 19** **TYROLIT**
Corebits, Diamond, Precast Blades & Bonded Abrasives • *Construction*
- 20** **BLACK+DECKER | TOROFLEX**
Industrial Abrasives | Abrasives for Cutting & Grinding • *Construction*
- 21** **IRWIN**
Hand Tools • *Construction*
- 24** **ANSELL | MAPA**
Gloves • *Fire & Safety*
- 25** **BATA INDUSTRIALS**
Safety Shoes • *Fire & Safety*
- 26** **BAUER KOMPRESSOREN**
Industrial Air Compressors • *Fire & Safety*
- 27** **FTG | SPARTAN**
Safety Shoes • *Fire & Safety*
- 28** **INDUSTRIAL SCIENTIFIC**
Gas Detectors • *Fire & Safety*

Contents

Contents

29

MICROGARD

Chemical Protective Clothing

• *Fire & Safety*

30

3M

Respiratory Protection

• *Fire & Safety*

31

AKRON | DELTA FIRE

Fire Fighting Nozzles & Hose

• *Fire & Safety*

32

MASTER LOCK

Safety Locks

• *Fire & Safety*

33

WEBER RESCUE

Rescue Equipments

• *Fire & Safety*

36

RR

Fans

• *Electrical*

37

NEXANS

Power Cables

• *Electrical*

38

REXTON

Cable Management PVC & Metal

• *Electrical*

39

DETON

Industrial Fans

• *Electrical*

40

RR

Accessories & Cables

• *Electrical*

41

KISTENMACHER

Electrical Appliances

• *Electrical*

42

CAPARO | TFKABLE

Cable Management System | Specialized Cables

• *Electrical*

43

MESC

Cables

• *Electrical*

44

HAVELLS

Switchgears & Cables

• *Electrical*

45

HAVELLS

LED Lightings

• *Electrical*

46

RIDGID

Electrical Tools

• *Electrical*

47

JEDDAH CABLES COMPANY

Power Cables

• *Electrical*

50

SOUDAL

Sealants, Adhesives & Construction Foams

• *Plumbing*

51

PESTAN

Drainage Pipe System

• *Plumbing*

- 52** **ZURN | ALMANIT** ● *Plumbing*
 Drainage System | Drain & Shower Cover
- 53** **CANDAN** ● *Plumbing*
 PPR Cutters & Welding Machines
- 54** **FORMUL** ● *Plumbing*
 PPR Pipes and Fittings
- 55** **SOLE | MUSCAT HEATERS INDUSTRY** ● *Plumbing*
 Water Heater (Solar & Electric) | Electric Water Heaters
- 58** **STAR TECHNOLOGIES** ● *Water Proofing*
 Acrylic / Elastomeric / PU Coating
- 59** **EDAMA | CET | CC TECHNIQUE** ● *Water Proofing*
 Machineries
- 60** **STOPER | BITUMEX** ● *Water Proofing*
 APP & SBS Membrane
- 61** **COPERNIT | MODERN** ● *Water Proofing*
 APP & SBS Membrane
- 62** **GRACO | POLYCRAFTPUF** ● *Water Proofing*
 Machineries
- 63** **EEP | EXEED | HUNTON** ● *Water Proofing*
 Heat Insulation System / Protection & Separation Layers
- 64** **BASF** ● *Water Proofing*
 Polyurethane Foam
- 65** **TERRACO** ● *Water Proofing*
 Cementitious Waterproofing System
- 68** **ALTERON | BIOPLAC** ● *Interior*
 Ceiling Tiles & Sheets
- 69** **SAUDI ROCK WOOL | KIMMCO ISOVER | FRF** ● *Interior*
 Rockwool Insulation
- 70** **SPARTAN** ● *Interior*
 Drywall Systems & Access Panel
- 71** **AFICO | KNAUFINSULATION | GLASSROCK** ● *Interior*
 Boards & Joint Fillers / Drywall Systems
- 72** **USG BORAL** ● *Interior*
 Boards & Joint Fillers / Drywall Systems
- 73** **USG BORAL** ● *Interior*
 Ceiling Tiles / Grid Systems
- 74** **GYPROC** ● *Interior*
 Acoustic Gypsum Ceiling Tiles & Access Panel

Contents

- 75 **SINIAT** ● *Interior*
Perforated Gypsum Sheet & Filler
- 78 **KIBERLY-CLARK** ● *Industrial*
Industrial Wipes
- 79 **UNOAIR** ● *Industrial*
Pneumatic Tools
- 80 **STANLEY** ● *Industrial*
Hand Tools
- 81 **STANLEY** ● *Industrial*
Hand Trucks
- 82 **ELORA** ● *Industrial*
Hand Tools
- 83 **ELORA** ● *Industrial*
Hand Tools
- 84 **MITSUBOSHI** ● *Industrial*
Industrial Transmission Belts (V-Belts)
- 85 **UNIWELD** ● *Industrial*
Welding Equipment
- 88 **FEVICOL** ● *HVAC & R*
Industrial Adhesives
- 89 **SODECA** ● *HVAC & R*
Industrial Ventilation Fans
- 90 **ACC** ● *HVAC & R*
Copper Tubes & Fittings
- 91 **NORM** ● *HVAC & R*
Clamping & Fixing Components
- 92 **SANHUA** ● *HVAC & R*
Flow Control Device
- 93 **AFICO** ● *HVAC & R*
Thermal & Acoustical Insulation
- 94 **MUPRO** ● *HVAC & R*
Support Technology & Vibration Control Systems
- 95 **ALFA LAVAL | C&S ELECTRIC** ● *HVAC & R*
Heat Exchangers & Accessories
- 96 **AFS** ● *HVAC & R*
Flexible Air Ducts & Accessories
- 97 **FLEXIVA** ● *HVAC & R*
Ventilation Systems

Contents





CONSTRUCTION

PULSAR 255 AC/DC



AWS E6013
AWS E7018
AWS E308
AWS A5.15

PULSAR 255AC/DC	42490	230V~1ph 400V~2ph 50-60Hz	4,7	AC 44-48 DC 44-48	AC 50-170 DC 50-170	mm 1,6 4

PULSAR 370



AWS E6013
AWS E7018
AWS E308
AWS A5.15

PULSAR 255AC/DC	42490	230V~1ph 400V~2ph 50-60Hz	4,7	AC 44-48 DC 44-48	AC 50-170 DC 50-170	mm 1,6 4

PEGASUS 370



AWS E6013
AWS E7018
AWS E308
AWS A5.15

PULSAR 255AC/DC	42490	230V~1ph 400V~2ph 50-60Hz	4,7	AC 44-48 DC 44-48	AC 50-170 DC 50-170	mm 1,6 4

UNIMIG 350



AWS E6013
AWS E7018
AWS E308
AWS A5.15

PULSAR 255AC/DC	42490	230V~1ph 400V~2ph 50-60Hz	4,7	AC 44-48 DC 44-48	AC 50-170 DC 50-170	mm 1,6 4



**PETROL FP1650 FORWARD
PLATE COMPACTOR**



**PETROL CV70H
RAMMERS**



**PETROL FP1342 FORWARD
PLATE COMPACTOR**



**BLOCK
SPLITTER**

**MABasic 200****The advantages of the MABasic 200**

- 900 Watt motor
- 1-stage gear unit
- Core drilling from 12 mm to 32 mm
- Cutting depth 30 mm and 55 mm

**MAB 525****The advantages of the MAB 525**

- Best choice for service work: Total weight only 16 kg
- With MT 3 tool holder and a drilling performance of up to \varnothing 50 mm
- Torsion-resistant design, monoblock gearbox and slide

**MAB 825****The advantages of the MAB 825**

- The classic of the large-size series – with MT 3
- For core drills with a cutting depth of 30 mm, 55 mm, 75 mm and 110 mm.
- Suitable for twist drills, reamer chucks, countersinks and thread cutting systems



Windy 265 IF

- 2 high efficiency by pass motors
- Suction system with by-pass cooling
- Filter cleaning system
- S/S tank
- Static electric shock inhibitor
- Shock proof trolley
- Liquid float valve
- Cloth filter
- 7,5 m power cable
- Traceless wheels
- Accessories Ø 40
- Handy accessory holder



Windy 365 IR

- 3 high efficiency by pass motors
- Suction system with by-pass cooling
- Filter cleaning system
- S/S tank
- Static electric shock inhibitor
- Tilting tank
- Fully removable tank
- Shock proof trolley
- Liquid float valve
- Cloth filter
- 7,5 m power cable
- Traceless wheels
- Accessories Ø 40
- Handy accessory holder.



Titano 78 PL-BS

- 3 Silenced two stage Motor
- Professional closing hooks
- Suction system with by-pass cooling
- Plastic tank (PP)
- Tilting tank
- Fully removable tank
- Liquid float valve
- 10 mt power cable
- Cable holder
- Ergonomic handle tank, head and trolley
- Easy standing head (during filter cleaning)

ANNULAR CUTTERS

For Magnetic Drilling Machines



RANGE - Dia. 14mm to 50mm
LENGTH - 50mm



RANGE - Dia. 14mm to 50mm
LENGTH - 25mm

HOLESAWS

For Wood, Metal & PVC



RANGE - Dia. 14mm to 210mm
LENGTH - 40mm (Max.)

MULTIPURPOSE BLADES

For Wood, Concrete, Brick, Block, Sanding & Polishing



CHISELS / HSS DRILL BIT

(Pointed, Flat) For Concrete / For Metal



SDS PLUS & SDS MAX Chisels
Hexagonal Chisels



HSS Metal Drill Bit Sets

SDS PLUS & SDS MAX DRILL BITS

For Concrete, Stone, Brick & Block




RANGE - Dia. 4mm to 25mm
LENGTH - 450mm (Max.)

RANGE - Dia. 12mm to 52mm
LENGTH - 570mm (Max.)

JIG SAW

For Wood, Metal & PVC



Provides excellent cutting speed & reliability in site conditions

BATTERY CHARGER DRILLS



DCD771C2



DCH274P2



DCF880M2

ROTARY HAMMER DRILLS



D25033C



D25134K



D25144K

WOOD WORKING



DW625E



DWE6411



D26411

SAWING MACHINES



DW331K



D23700



DWE305PK

DEMOLITION / BREAKERS



D25871K



D25941K



D25980K

COMBI HAMMER DRILLS



D25501K



D25601K



D25721K

GRINDERS



DWE4001



DWE4120



DWE492

MITRE SAWS



DWS78



DWS778



DW713

BD 205/24

BXCM0031E



Suitable for all home and hobby applications. Powerful machine with a 2 Hp lubricated pump. Simple, user friendly controls. Large wheels and convenient handle make transport easy.

POWER	MAX PRESSURE	WEIGHT	VOLTAGE/FREQUENCY	RPM	TANK
2 Hp / 1,5 kW	8 bar / 116 PSI	24,6 kg / 54,2 lb	230 Volt / 50 Hz	2850	24 LTRS

BD 205/50

BXCM0032E



Powerful machine with a 2 Hp lubricated pump. With a 50-litre tank for a large air reserve.

POWER	MAX PRESSURE	WEIGHT	VOLTAGE/FREQUENCY	RPM	TANK
2 Hp / 1,5 kW	8 bar / 116 PSI	32,7 kg / 72 lb	230 Volt / 50 Hz	2850	50 LTRS

BD 235/100-2M

BXCM0121E

Suitable for heavy and sustained use, ideal for demanding professionals. Pump with cast iron cylinder and large fins for better cooling of compressed air. Sturdy belt guard in metal mesh protects all moving parts. Large wheels and convenient handle make transport easy.

POWER	MAX PRESSURE	WEIGHT	VOLTAGE/FREQUENCY	RPM	TANK
2 Hp / 1,5 kW	10 bar / 145 PSI	57 kg / 125,6 lb	230 Volt / 50 Hz	1040	100 LTRS




COMBI Range

(Combined electric bender & shears)



DEL Range

(Electric benders)



Bali Mekano (Block Saw)



Cobra 40 (Asphalt Cutter)

SIMA-S.A. is a leading company in light machinery for the construction industry in Spain and the third largest supplier in Europe. It began its business activities in 1970 with a clear corporate mission of manufacturing safe, reliable, innovative and profitable equipment.

High Pressure Power-Jet Cleaners



SIMPLY110



X-TRA CLEAN-140



XPRO



MIRAGE131



X-TRA CLEAN-150

Locating Systems



NaviTrack Scout®

SeekTech® SR-20

Diagnostic & Inspection Systems



SeeSnake® microReel™

micro CA300 Inspection Camera

micro IR200 Thermometer

Pipe Wrenches



Hole Saw



Manual Pipe Threader



Aviation Snips



Hand-Held Power Drive



Heavy Duty Model 700



Model 600-I

Thread Cutting Oil



Model Nu-Clear 70835
Cools threads & pipe
Speeds Metal Removal
Improves thread quality
Reduces threading torque

Water Jetter



Power Threading Machines



Model 535

Pipe Capacity : 3mm-50mm
Bolt Capacity : 6mm-50mm



Model 300 Compact

Pipe Capacity : 3mm-50mm
Bolt Capacity : 6mm-50mm



Model 1215

Pipe Capacity : 6mm-37mm
Bolt Capacity : 6mm-25mm

Hole Cutting & Drilling



Model HC450

Capacity :
Upto 120mm

Drum Machines



Model K750

Capacity : 3" to 8"

Power Roll Groovers



Model 920

Pipe Capacity :
2" to 12" (Schedule 5, 10 & 40)
14" to 16" (Schedule 5 & 10)



Model 918-I

Pipe Capacity :
1" to 8" (Schedule 40)
1" to 12" (Schedule 10)

Floor Grinding / Floor Sawing Machines



FGE 270



FSE 1274

Diamond Core Machines



Floor Saw / Ring Saw



HRE 400



HBE 350

Table Saw Machines



TME 700

Wall Saw / Cutoff Machines



WSE 811



Tyrocut MI400

Diamond Cup Wheels / Floor Grinding Tools



Coring Applications - Corebits



Diamond Saw Blades



Pre Cast & Wall Saw Blades



Pre Cast Blades upto 1300mm



Wall Saw Blades upto 1200mm

Colour Codes

Label



Steel



2in3/1in1



INOX



Nonferrous metals



Cast iron



Stone

Cutting Applications



Grinding Applications



Finishing Applications



Colour Codes

Label



Universal



Concrete



Hard stone



Tiles



Marble



Asphalt



Abrasive materials





M444 Bluechip Bevel Edge Chisel



Mechanics Vice



General Purpose G-Clamp



General Purpose Snips



Compound Action Aviation Snips



Bolt Cutter



Heavy-Duty Pipe Wrench



Heavy-Duty Universal Portable Bender Bolt



Irwin Pro-Touch™ Retractable Knife



Tool Box



Chalk & Reel Combination Sets



Circular Saw Blades



Pro Utility Tool Organizer





FIRE & SAFETY



Hyflex 11-402



Touch N Tuff 92-600



Hyflex 11-627



Hyflex 11-920



Hyflex 11-800



Sol-Vex 37-900



Hyflex 11-435



Sol-Vex 37-185



AlphaTec 58-535



Krytech 579



Ultranitрил 491



Titan 391



Industrial 299



Krynit 563



Technic Plus 420



Ultrane 553



Enduro 328



Krytech 586



Telblue 351



EINSTEIN



HERO 504



HERO 503



LEEDS S1
Executive Slip-on



OXFORD S1
Executive Lace Shoes



EDISON



BRISBANE



TITAN S2



MENDEL



DARWIN S1



BORA S1

Personal Protection Equipment is very important in a variety of industries, like construction and logistics. Bata Industrials produces high quality safety shoes.

The safety shoes of Bata Industrials are designed to fit well, look good and to offer the best performance for the job.

Characteristics


- Energy Absorption
- ESD
- Antistatic
- Cold Insulation
- Fuel Oil Resistant Outsole
- Heat Insulation
- Heat Resistant Outsole
- Penetration Resistant Outsole
- SRA
- SRC
- Water Resistant
- Water Resistant Upper



COMPRESSORS FOR INDUSTRY

TAILORED TO YOUR REQUIREMENTS

BAUER KOMPRESSOREN offers state-of-the-art complete solutions for the field of sports & safety tailor-made to meet the needs of your application range. From compression to treatment and beyond to the distribution of air, breathing air and nitrox.



Safety Shoes



Concorde



Snowboard

Women's Shoe



Chateau



Piper



Poseidon



Fishbed



Ercole



Sentry



Kayak



Intruder



Tornado



Safety Shoes



SAFETY
IN EVERY STEP...



MW003 S3 with Lace



MW005 S3 w/o Lace



JP1-1023 S1P



SA-9951 S1P


TANGO TX 1

Single Gas Monitor
H₂S, CO, NO₂, SO₂



RATTLER T40

Single Gas Monitor
H₂S, CO



iBrid MX6

Multi Gas Monitor
H₂S, CO, LEL, O₂, NO₂, SO₂



RADUZ BZ1

Area Gas Monitor
H₂S, CO, LEL, O₂, NO₂, SO₂



VENTIS MX4

Multi Gas Monitor
H₂S, CO, LEL, O₂, NO₂, SO₂





MICROGARD®
1500



MICROGARD®
2000
STANDARD



MICROGARD®
2300
COMFORT



MICROCHEM®
3000



MICROCHEM®
4000



MICROCHEM®
5000

- DISPOSABLE RESPIRATORS -



8210 N95



8246 N95



8247 R95



9010 N95



8514 N95



AURA 9332 FFP3

- REUSABLE RESPIRATORS -



**Half Face Mask
6000 Series**



**Half Face Mask
7500 Series**



**Full Face Mask
6000 Series**



**Full Face Mask
FF-400 Series**

- GAS / VAPOR CARTRIDGES -



**6001
OV CARTRIDGES**



**6002
AG CARTRIDGES**



**6003
OV/AG CARTRIDGES**



**6004
OV/AG CARTRIDGES**



**6005
FORMALDEHYDE
OV CARTRIDGES**



**6006
MULTI GAS &
VAPOR CARTRIDGES**



**6009
MERCURY OV
CARTRIDGES**

- PARTICULATE FILTERS, RETAINER & ADAPTER -



**2091 P100
Filters**



**2091 P100
Filters**



**2097 P100
Filters**



**5N11 N95
Filter**



**501 Filter
Retainer**



**502 Filter
Adapter**

Fire Fighting Nozzles & Hose



SABERJET
Multipurpose Nozzles



TURBOJET
Multipurpose Nozzles



ASSALT
Nozzles



INDUSTRIAL BRASS
Fog Nozzles



TURBOJET
Zero Torque Nozzles



QUICK-ATTACK
Foam Tubes



MERCURY QUICK
Attack Monitors



APOLLO INDUSTRIAL
Monitor



ARIES INDUSTRIAL
Monitor



STREAMMASTER
Monitor



AQUASTREAM
Nozzle



HYDRANT FLOW
Test Kit Hk-25



PORTABLE
Flow Meter

Fire Fighting Nozzles & Hose



CONSTANT FLOW NOZZLES



AUTOMATIC NOZZLES



SPECIALIST NOZZLES



PORTABLE FOAM EQUIPMENT



FIRE HOSE NOVA TYPE 3 LAY FLAT



Pressurized Gas Valve Lockout
Model-53910



Zenex™
Model-410



Set of Valve Lock-outs
Model-485



Zenex™
Model-406



Grip Tight Circuit Breaker Lock-out



ProSeries® Zinc
Model-1178D



Universal Wall Switch Cover
Model-496B



"Do Not Operate" Tags
Model-497A



ProSeries®
Model-6121



Push Button Lockout, Clear
Model-S2151



Seal Tight™ Handle-On Ball Valve Lockout
Model-S3068



Lock-Out Hasps
Model-420,421



Anodized Aluminum
Model-A1106



Grip Tight Circuit Breaker Lock-out



Lock-Out Hasps
Model-430









ELECTRICAL

Domestic Air Circulators



Domestic Exhaust Fans



Industrial Fans



“Safe & Reliable”



The reputed manufacturing unit, has an installed capacity of over 9 manufacturing lines for rigid PVC conduits, Injection Moulding, bends, socketing and other PVC cabling accessories.

Deton is a professional manufacturer with the ability of design and production of ventilation equipments.



Portable Ventilator



Drum Fan



Industrial Ventilating Fan



Oscillating Floor Powerful Fan



Powerful Industrial Stand Fan



Mobile Industrial Misting Fan



Economical Industrial Misting Fan



Powerful Industrial Wall Fan



Commercial Floor Fan (Domestic Guard)



Wall Mounting Industrial Misting Fan

- Door Bells
- Plugtop
- Ceiling Rose
- 3 Ways Adaptor
- Metal Clad Switches & Sockets
- Flush Metal Box
- Extension Sockets
- Tower Sockets
- Industrial Type Cable Reel
- Weather Proof Switches & Sockets
- Weather Proof Isolators
- Weather Proof Metal Enclosures
- Cable Tie & Adhesive Base
- Industrial Plug & Sockets
- Industrial Cable Reels



• Speaker Cables • Heat Resistant PVC Insulated single core flexible cable

• Solid Wire (Single Strand) • PVC Insulated & Sheathed Multicore Flexible Cable

• Twin with Earth • Heat Resistant PVC Insulated & Sheathed Multicore Flexible Cable



- British Standard
- Hot Dip Galvanised
- Heavy Gauge
- High Quality
- UK Approved




Specialized Cables

MORE THAN JUST A CABLE SUPPLIER



Full adherence to the requirements and standards set out in national and international regulations...





MESC products are approved by all oil, gas, petrochemical, power and desalination utilities in the MENA region, such as: Aramco, Sabic, STC, SEC (KSA), Kuwait Oil Co. (KOS), KNPC (Kuwait), Qatar Petroleum, MEW (Qatar), ADCO, GASCO, ADNOC, ADMA-OPCO, ZADCO, TAKRERER, DEWA, FEWA, SEWA, ADGAS, (UAE), MESC are also approved by many major international EPS Contractors such as: ABB, ABV Rock Group, Bechtel, Daelim Engineering co., Doosan Heavy Industries, Fisia Italiampianti, Fluor Daniel, Hyundai Engineering & construction Co., JGC Corporation, NPCC, Siemens, SK Engineering, Snamprogetti, Technicas, Technip, Toyo Engineering Co. and many other.

at the heart of every project.



Building, Panel Wires and Flexible Cables



Fire Alarm and Fire Resistant Cables



Low Voltage Power Cables



Silicon Rubber and flat Cables



Instrumentation & Process Control Cables



Data Cables (Cat 6, Cat 6A, Cat 7)



Riyadh-KSA Ras al khaimah-UAE Amman-JORDAN

www.MESCCables.com

KSA

Riyadh: +966 11 476 7373,
general@mesccables.com

UAE

Dubai: +971 4 343 7885
Dubai.sales@mesccables.com

Jordan

Amman: +962 6 560 6205
gm.office@mesccables.jo



HAVELLS

Switchgears & Cables

SWITCHGEAR COMPONENTS



QUALITY THROUGH ACCURACY

CABLES



- PVC INSULATED INDUSTRIAL CABLES**
- Single Core Flexible Conductor Cables
 - Heat Resistant Panel Wires
 - Multicore Flexible Cables



Switch to Energy Efficient Lighting...



LED Lamps Diffuser (E27, B22 & E14)



LED Candle Lamps Diffuser (E27, B22 & E14)



Available in Dimmable & Non-Dimmable
LED Lamps (Filament) (E27, B22 & E14)



Available in Dimmable & Non-Dimmable
LED Candle Lamps (Filament) (E27, B22 & E14)



LED High Bay



LED Flood Light



LED Down Light



LED Street Light



Panel Lights



LED Night Lamp 0.5w (E27 & B22)



Ratchet Action Cutter
(Manual)



Cable Cutter
(Battery Operated)



Clamp Meter



Crimping Tool
(Battery Operated)



Crimping Tool
(Hydraulic)



Ratchet Action Cutter
(Manual)



Leverage Cutter
(Manual)



3-in-1 Fewer Tools
(3 Functions 1 Tool)

UPGRADE YOUR ELECTRICAL TOOLS

YOUR PERFORMANCE AT ITS BEST







PLUMBING

Soudafoam FR



Soudafoam Gap Filler



Silirub AC (Acetic)



Acryrub (Paintable)



Multibond MS35



Fire Silicone B1 FR



Aquaswell



Polystyrene Adhesive



- Low Noise Pipe System
- HTPP Pipe System
- HDPE Corrugated Pipe System
- PVC Pipe System



We built trust

At Zurn, the focus is on continuous improvement of our industry leading solutions.



- Roof Drains • Clean Out
- Drain Covers • Grease Interceptors



Drain & Shower Cover

Environment Friendly Products



Art-7000 A

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 3 parts: frame, grid and lid.
Frame Size: 200x200mm, available outlet sizes: 103mm ø / 115mm ø



Art-7000 B

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 3 parts: frame, seal rubber and lid fixed with screws on the frame.
Frame Size: 200x200mm, available outlet sizes: 103mm ø / 115mm ø



Art-7000 C

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 3 parts: frame, grid fixed with screws on the frame and lid.
Frame Size: 200x200mm, available outlet sizes: 103mm ø / 115mm ø



Art-7000 D

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 2 parts: frame and grid fixed with screws on the frame and lid.
Frame Size: 200x200mm, available outlet sizes: 103mm ø / 115mm ø



Art-7001 A

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 3 parts: frame, grid and lid.
Frame Size: 150x150mm, available outlet sizes: 103mm ø / 115mm ø



Art-7001 B

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 3 parts: frame, seal rubber and lid fixed with screws on the frame.
Frame Size: 150x150mm, available outlet sizes: 103mm ø / 115mm ø



Art-7001 C

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 3 parts: frame, grid fixed with screws on the frame and lid.
Frame Size: 150x150mm, available outlet sizes: 103mm ø / 115mm ø



Art-7001 D

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, each piece consisting of 2 parts: frame and grid fixed with screws on the frame and lid.
Frame Size: 150x150mm, available outlet sizes: 103mm ø / 115mm ø



Art-7002

Stainless steel drain waste cover (strainer), made of stainless steel material, highly polished, click-clack spring system, available in the frame sizes: 150x150mm, 200x200mm

CM-04-ONLY

- Installed Capacity - 1000+1000=2000 Watt (Double Resistance).
- Supply Voltage - 220-240V~
- Frequency - 50-60 Hz.
- Operating Temperature - 270°C.



**SOLDERING IRON FOR
POLYPROPYLENE PIPES**

**PIPE WELDING
MACHINE**



CM-05-ONLY

- Installed Capacity - 200+1200=2400 Watt (Double Resistance).
- Supply Voltage - 220-240V~
- Frequency - 50-60 Hz.
- Operating Temperature - 270°C.

CM-01-SET-V

- Installed Capacity - 850+650=1500 Watt (Double Resistance).
- Supply Voltage - 220-240V~
- Frequency - 50-60 Hz.
- Operating Temperature - 270°C.



**PLASTIC PIPE
WELDING MACHINE SETS**


**63 mm
PIPE CUTTER**



PPC 63

- 40-63 mm.
- First quality stainless steel blade.
- Handle coated by special paint.
- After sale support and unlimited spare part guarantee for 1 year.
- Cutting guarantee in world standards.

- HOT & COLD WATER LINE APPLICATIONS • RESIDENTIAL & INDUSTRIAL APPLICATIONS
- PN20 & PN25 PIPES & FITTINGS • CHEMICAL & HEAT RESISTANT
- INTERNATIONALLY CERTIFIED PRODUCT • COMPLETE PRODUCT RANGE



DIN 8077 / GERMAN STANDARD




DIN 8077 / GERMAN STANDARD





SOLAR WATER HEATER



GALVANIZED IRON WATER HEATER



GALVANIZED IRON WATER HEATER



HOTWAVE GLASS LINED WATER HEATER



MUSCAT HEATERS INDUSTRY L.L.C
ELECTRIC WATER HEATERS

- Centralized Glass Lined Water Heater
- Galvanized Iron Water Heater
- Supreme Quality Galvanized Iron Water Heater
- Glass Lined Water Heater



AVAILABLE IN 30 & 50 LITERS





WATER PROOFING



**HIGH PERFORMANCE COLD APPLIED
SINGLE COMPONENT
WATERPROOFING MEMBRANE.**

STARROOF 602



**A SPECIAL ACRYLIC POLYMER RESINS
AND ADDITIVES WITH
EXCELLENT UV RESISTANCE.**

STARROOF 603



**SPECIAL SYNTHETIC RESIN
BASED ELASTOMERIC
WATERPROOF COATING.**

STARROOF 800



**HIGH UV RESISTANT PRODUCT
FOR EXTERNAL
WATER PROOFING.**

STARROOF 900





EDAMA - RÔOFMASTER



RÔTOR

AERCEL MACHINE



MODEL: DE-H

LIGHTWEIGHT FOAM




STATOR

LIGHTWEIGHT FOAM



MODEL: DE-L



Thickness : 2mm, 3mm, 4mm & 6mm
 Size : 1mtr x 10mtr
 Type : APP, SBS, Self-Adhesive
 Finish : PE & Mineral (Slate)

izomaks



Thickness : 3mm & 4mm
 Size : 1mtr x 10mtr
 Type : APP
 Finish : PE & Mineral (Slate)

APP & SBS Membrane

Traditional APP/SBS Membranes
Light Weight Membranes
Bituminous Shingles
Separation Layers



Thickness : 3mm, 3.5mm & 4mm
Size : 1mtr x 10mtr
Type : APP, SBS
Finish : PE & Mineral (Slate)





EASY SPRAY HYDRAULIC PROPORTIONING UNIT



REACTOR A-25



PU HD-20/35 HYDRAULIC PROPORTIONING UNIT



HF-1600

Heat Insulation System



الإمارات اكستروديد بوليستيرين ذ.م.م.
EMIRATES EXTRUDED POLYSTYRENE L.L.C.
E-FOAM INSULATION SYSTEM

Extruded Polystyrene Board

EFOAM

Origin: Made in UAE
Thickness : 25mm to 100mm
Size : 1250mm x 600mm



Protection & Separation Layers



<p>We offer chemical treated & non chemical treated geotextile products.</p>	<p>Exeed Geotextile range of products MC to 1000 Gram and various width.</p>
<p>We offer product roll up to 6 meter width & length up to 200 meter per roll.</p>	<p>Highest grade fabric manufacturing of the geotextile roll ensures durability from ground till your geotextile customer's destination.</p>
<p>Geotextiles are available in various colors, black & grey color.</p>	<p>PRIME GEOTEXTILE POLYPROPYLENE NEEDLE PUNCHED NON-WOVEN GEOTEXTILES</p>
<p>Equipped in fabric power products in customer's projects result oriented.</p>	<p>PRIME TECH POLYESTER NEEDLE PUNCHED NON-WOVEN GEOTEXTILES</p>

Exeed branded products have been at the forefront of the Geosynthetics industry. Continuous innovation has led to manufacture of superior products and made Exeed synonymous with highest standards of quality and performance .

With many years of experience in the Geosynthetics market , Exeed provides value engineered solutions for highways, coastal, railways, landfill, mines, tunnels, waterways, flood defence , landscapes and other sectors.

Exeed remains committed since the beginning to the development of innovative and cost effective Geosynthetics solutions. The company intended to lead the market in the design and manufacture of Geosynthetics and continue provide ground breaking solutions.

Exeed with manufacturing facility in UAE, is made available through a global distribution network. We have Distributors in all GCC.

Apart from supplying quality geotextile, EXEED can also supply High quality Bi-Axial and Uni-Axial Geogrids for pavement engineering, Gabion Boxes and soil reinforcement.



Expansion Joint System




Expansion Joint Filler Boards

Hunton manufacturers a wide range of wood fibre boards for the construction market including:

- Expansion Joint Fillers (EJF) and Protection Board for construction.
- Bitroc® for sheathing timber and steel frame buildings.
- Sarket™ for warm roof constructions.
- Silencio® for underfloor sound insulation.
- Silencio Thermo® for sound insulation and underfloor piped heating.
- Silencio El® for sound insulation and electrical heating.

Polyurethane Products

Isocyanates and polyols for versatile polymers



POLYURETHANE



POLYUREA

MAXICRETE RESIN

Is based on acrylic resins, resistant to alkalinity.

MAXICRETE POWDER

Based on special hydraulic cements, precisely graded fillers, wetting agents and adhesion promoters.



MAXICRETE

Acrylic based bonding agent / additive or primer for waterproofing.



TERRABOND A

Acrylic based bonding agent / additive or primer for waterproofing

TERRABOND A

- Non-toxic, non-inflammable, acrylic resin.
- Extremely versatile bonding agents for use with all cementitious materials.
- It can be used to pre-treat substrates as an adhesion-promoting agent and as a primer/ sealer for decorative coatings.
- It increases the compressive, tensile and flexural strengths of mortars and reduces the water/ cement ratio.

WEATHERCOAT GP RESIN

Is based on concentrated acrylic resins, highly resistant to UV light and alkalinity. The system is permanently flexible and miscible with cement and cement based materials in all proportions.

WEATHERCOAT GP POWDER

Is based on special cements and precisely graded fillers, wetting and adhesion promoters.



WEATHERCOAT GP

White colour, elastomeric waterproofing system (Powder + Resin)





INTERIOR


Ceiling Tiles & Sheets



GRG Ceiling Tiles Liso




GRG Ceiling Tiles Dial




GRG Ceiling Tiles Cosmos




GRG Plain Board




GRG Perforated Board




GRG Ceiling Tiles Mediterraneo



GRG Ceiling Tiles Bio Semiperforado



GRG Ceiling Tiles Keeps Semiperforado



• Rockwool Panel

The image shows several rectangular panels of Rockwool insulation stacked together. The top panel is a dark blue color, while the others are a light tan color. The panels have a fibrous, porous texture.



• Rockwool Blanket

The image shows two rolls of Rockwool blanket insulation. The rolls are cylindrical and have a light tan, fibrous texture. They are stacked on top of each other.



• Rockwool Mattress

The image shows two rolls of Rockwool mattress insulation. The rolls are cylindrical and have a light tan, fibrous texture. They are stacked on top of each other.



• Rockwool Pipe

The image shows a roll of Rockwool pipe insulation. The roll is cylindrical and has a light tan, fibrous texture. It is shown in a close-up view.



Furring Channel



Main Channel



Wall Channel



Description:

Available in ceiling or drywall maintenance panel.

2mm aluminium profile and strong hardware.

White powder coated finish.

With sealing strips between inner & outer frames.

Concealed snap lock, push open.

12.5mm moisture resistant gypsum inlay.

Removable door panel with safety.

Size: 300x300mm/400x400mm/450x450mm/500x500mm/600x600mm

600x800mm/600x1200mm.

Customized sizes can also be made upon request.

Access Panel




Wire Clip



Track / Stud



Corner Bead



**Mechanical
Board Insulation**




**Mechanical
Board Insulation**



**Pre-Engineered
Metal Building Insulation**



**Pre-Engineered
Metal Building Insulation**



**Extruded Polystyrene
Board Insulation**



STAYROMAX


**Expanded Polystyrene
Board Insulation**



Gypsum Sheet Regular



Gypsum Sheet Wetstop



Gypsum Sheet Firestop Sheetrock Type X/Type C



Cement Board



Fiberock Interior Panels



USG Boral All Purpose Joint Compound Powder Type



USG Sheetrock Acoustical Sealant



USG Boral Base Coat powder type for cement board



USG Boral All Purpose Joint Compound Ready-Mixed



USG Boral Base Compound Ready - Mixed for cement board



Furring Channel



Main Channel



Wall Channel



Wire Clip



Corner Bead



Track & Stud



Main Channel Bracket




Threaded Rod



Wire Hanger



Adjustable Hanger & Butterfly Clip



Cross Fissured



Perforated



Olympia II



Shades



Condado



Aluminum Plain & Perforated Layin Tile




Aluminum Plain & Perforated Clipin Tile



Donn DX24/DXL 24/DX15



The USG Donn® Brand Finline® 1/8 DXFF™




Spring Tee



Shadowline Wall Angles



Wall Angles




Gyptone 11



Gyptone Quattro 70



Gyptone Quattro 20



Rigitone 8/18Q / 6/18



Gyptone BIG Curve Quattro 41




Gyptone Plank Point 15-1800mm



Vinyl Faced Gypsum



Gyptone BIG Access Panel



Gyproc Aluminum AccessPanel



Pregybel R 8

Pregybel C 8



Siniat Joint Compound
Powder Type

Siniat Cornice Glue

Shaping the way
people build





INDUSTRIAL

Kimtech 7643



WypAll 7301



WypAll 41043



WypAll 7240



WypAll X80



WypAll L20 7200



Kimtech 7644



WypAll X60 8371



Kimtech C3



WypAll L40 7425



WypAll X60 8380



WypAll L20 7267



If it's Kimberly-Clark Professional, hygiene is guaranteed



• Air Hammer



• Air Sander



• Air Drill



• Air Riveter Kit



• 3/8" Impact Wrench



• Air Stapler



• 1/2" Impact Wrench



• 3/8" Ratchet Wrench



• Air Control Unit



Measuring Tapes



Chisel Set



Socket Set



Cutting Saw



Spirit Levels



Hammers & Storage Boxes



Screw Drivers



Pliers, Cutters & Spanners





FT504 (Folding Hand Truck 200 kg)



HT514 (Hand Truck 200 kg)

Hand Trucks



PC509 (Platform Truck 250 kg)



PC512 (Platform Truck 300 kg)



MT515 (Hand Truck 250 kg)

MOVE THAT TRUCK



Fine Mechanics & Electricians Tools



Torque Wrenches



Spanners & Wrenches



Storage Units & Tools Assortments



Socket Sets



Hexagon & Offset Keys, Screwdrivers



Pliers, Bold Cutters & Sheets



Socket & Accessories



Measuring & Checking Tools



Automotive & Special Tools

Pipe & Plumbers Tools



General Tools



Striking Tools



mitsuboshi

To give attentive consideration to both durability and value.



QUALITY TOOLS THAT GO TO WORK WITH YOU®



Brazing, Welding & Cutting Outfit



Scrap Metal Cutting Outfit

WHETHER YOU'RE WELDING,
BRAZING OR CUTTING

YOU'VE GOT

**THE
WURKS®**
TO WORK WITH.



12 Piece Oxy/
Acetylene Outfit



Spirit Manifold
(Color Coded Dials)



Nitrogen Regulator
(2" Gauges with Rubber Boots)





HVAC & R



PIR DUCT SYSTEM



PIR Glue
(15 Lt)



Dr. Fixit Acrylic Sealant
(450 gm)



Profile Glue Clear
(500 gm)

Adhesive & Protective Coating Solutions for HVAC

FIBRE GLASS INSULATION SYSTEM



AC Duct King Duct Sealant 3278
(310 ml)



AC Duct King Contact Glue C-916
(19 Lt)



AC Duct King Eco Fresh
(19 Lt)



AC Duct King Lag Coating E-84
(19 Lt)



AC Duct King Lag Coating AF 5590
(19 Lt)



AC Duct Weather Proof Coating
(19 Lt)



- COPPER TUBES SERIES -



COPPER TUBES



LWC FOR ACR SERIES



PANCAKE COILS SERIES

Main Purposes:

Water, Gas, Sanitation, Air Conditioning, Refrigeration Fire Protection and General Purposes.

- FITTING SERIES -




COPPER FITTINGS



Main Purposes:

Air Conditioning, Water, Gas, etc.









Duct Liner



Pre-Engineered Metal Building Insulation



Duct Liner Board



Board Insulation




Quiet Liner



Roof Deck Board Insulation




Quiet Liner Board (QLB)



Residential Cavity Wall Insulation



Faced Duct Wrap



Acoustic Ceiling Panels



Blanket Insulation



Heavy Density Pipe Insulation



Thermal Insulating Wool Insulation



Pipe Wrap Insulation

Saving energy for a clean environment

Pipe Clamps
Single Bossed Clamps



MSS Products
Swivel Hangers




Pipe Clamps
Girder Clamps



MSS Products
Adjustable Clevis Hangers




Pipe Clamps
MPC Support Channels



Pipe Clamps
U-Bolts Clamps



Anchor/Expansion Assemblies
Wooden Blocks



Pipe Clamps
Rubber Support Inserts



Vibration Control
Vibration Control Hangers



MSS Products
Pipe Straps



Anchor/Expansion Assemblies
PHONOLYT® Anchor Points for Pipes





We touch your electricity everyday!



Definite Purpose Contactor

Purpose

These contactors are used for control of Motors, Power Supplies, Heating Elements, Lighting & HVAC Fans and Compressors.

Environment

Maximum operating altitude: 2000 meters above sea level
 Operating temperature: -5 °C to +55 °C
 Ambient Air temperature: 40 °C to +65 °C
 Ambient air dampness around the device: 45 to 85% RH
 Coil apply voltage: 75% ~ 110% (50Hz)
 80% ~ 110% (60Hz)
 75% ~ 110% (50/60Hz)

Coil Data

Voltage : 24, 120, 208, 240, 277, 480 V AC 60 Hz
 Normal VA : Inrush 65 VA, Sealed 7.5 VA
 Duty Cycle : continuous
 Initial Insulation Resistance : 100 MΩ minimum

Technical Data


Expected Life : 200,000 operations on full load
 AC Coil : 2 million operations, mechanical
 Minimum contact data: 3A at 120V AC





UL 181, UL 723 BS 476, Part 6 & 7

FLEXIBLE AIR DUCTS



PROPERTIES & ADVANTAGES

ALUMINIUM LAMINATED BODY

- Difficult to ignite (ISOAFS-ALU.70)
- Limited combustibility + difficult to ignite (ISOAFS-ALU.F)
- Impermeable to UV rays
- High resistance to UV rays
- 98 % reflective
- Resistant to chemicals

FLEXIBLE & SEAMLESS CONSTRUCTION

- Easy to store
- Easy to transport
- Low installation cost
- Airtight
- Low operation and maintenance cost


SMOOTH INNER SURFACE

- Minimum pressure loss
- Anti-static
- Dust proof interior

Available on request

- Customized lengths • Private label • White polyester insulation
- 40 mm & 50 mm glass wool insulation
- 24 kg/m³ glass wool insulation • PE jacket

SELF ADHESIVE STUCK UP PIN



FEATURES:

- AFS self-adhesive pins are designed for fitting insulation materials to smooth surfaces without using and additional tools.
- It can be used for fitting rigid or flexible insulation materials such as glass wool, rock wool, polistren, polyethylene foam, insulation cork boards, etc.
- Operating temperature range of AFS PIN is - 10°C / +80°C. Application temperature has to be above + 10°C. The surface applied on has to be free of any residues, dust, grease, oil, etc.

CONNECTORS



PVC & SILICONE

Flexible solutions for ventilation...



Flexiva aluminum sky

Its inner and outer surfaces are produced of laminated aluminum foil and high-tensile steel wires, with intent to be used in heating, cooling, ventilation and waste gas transmission lines.

- Specially suitable for chilled water, condenser water and domestic hot/cold water installations.
- It has the features of being able to be stretched, twisted and compressed.
- Airtight. Resistant to tear and impact.
- It is flame retardant and has CSTB M1 fire retardant certificate.
- Does not cause poisonous gas release during fire.
- Produced in accordance with ISO 2008 - 9001 Quality Management System.
- Complies with TS EN 13180 standards.



Flexiva connector




It is a flexible connector that prevents the transmission of the vibration and noise in heating, cooling and ventilation system to the metal sheet channel which carries the air.

- The material used between two galvanized sheets has been combined with the multi-lock system and it is inseparable.
- Airtight.
- Can easily be applied to corners, square, oval, round joints, etc.

STANDARD DIMENSIONS

35 mm	x	60 mm	x	35 mm
45 mm	x	60 mm	x	45 mm
45 mm	x	75 mm	x	45 mm
70 mm	x	100 mm	x	70 mm
70 mm	x	150 mm	x	70 mm





Hidd Office





Sitra Office



Corporate Mission Statement

Our mission is to be a one stop shop for Industrial, Construction, Safety, Electrical, Plumbing, Waterproofing, Interior and Marine equipment. We aim to build long term relationships with our clients on the basis of timely and quality service, professionalism and anticipating the customers' needs.

We want to provide our clients with innovative solutions to help improve their productivity and efficiency.

We strive to develop a work environment that fosters new ideas, new innovations and growth.

HISTORY

Kavalani & Sons is a firm based in the Kingdom of Bahrain that supplies Industrial, Construction & Marine products with a portfolio of more than **60,000+ products** & represent more than **150 Brands** from the worlds market of leading brands from across the globe. The legacy of the company was established by Mr. Kavalmal Kavalani who used to trade in pearls between India and Bahrain. His descendants Mr. Vasumal Kavalmal , Mr. Purshotamdas Vasumal and Mr. Narsingdas Purshotamdas diversified the line of business by initially dealing in textiles, dates and trading in import and export of tea. In **1955**, Mr. Tolaram Narsingdas and Mr. Chandrasen Narsingdas (the great great grandsons of Mr. Kavalmal Kavalani) established Kavalani & Sons.

Upon the discovery of oil in Bahrain, the fifties witnessed the start of economic and infrastructural development. During this period, the company embarked on the sale of automobile spares imported from USA and Europe. At that time the company was dealing with brands such as; Ford, Buick, Bosch, Chevrolet and Cadillac. In the early sixties, the company changed its focus to Industrial consumables, hardware and building materials.

THE GROWTH YEARS

The company began its operations from a small shop in Manama catering to the industrial and production sector, government departments and marine companies. Over the years, Kavalani has acquired more than 60,000+ products & represent more than 150 Brands from various regions across the globe which accommodates the demands of our diverse customers.

Kavalani & Sons are the primary titleholders of the concept, **"One Stop Shop"**. The firm has enjoyed the best reputation and goodwill for its customer satisfaction and product range in Bahrain.

The headquarters located in the Salman Industrial City include showrooms, offices and warehouses that have a storage and display area of **130,000 sq ft.** Additionally, the branch office and additional warehousing in the Sitra Industrial Area, has a storage and display area of **44,000 sq. ft.** to the demands of the market more warehouses were added in Bahrain Investment Wharfs the new **13,000 sq ft.** showroom displays a wide variety of items where customers can examine, select and test the product first hand.

We strongly believe in innovation and are constantly on the look out to bring new innovative products and solutions to the market. Our quest to introduce new state-of-the-art technologies and products has lead to our diversification across different divisions and product lines. The company has diversified into various product classes like **Power Tools, Hand Tools, Building materials, Electrical consumables, HVAC spares, Safety Equipment, Chemicals, Fittings, Packaging and Jointing materials, Cleaning equipment, Welding consumables, Mechanical consumables, Hardware Equipment, Fasteners, Lifting Equipment, Plumbing, Waterproofing, Interior, Garage Equipment, Bars, Sheets & Instrumentation, Hoses, Pneumatic Tools, Ropes, Shelving, Strappings, Tapes & Adhesives & hydraulic hose crimping.**


COMPANY VISION

Kavalani & Sons is an **ISO 9001:2015 certified**, professionally managed organization, committed to offering complete customer satisfaction. Keeping in mind the growing needs of the GCC, the company has expanded its operations across the region. Presently we are operating in Dubai through our sister company; Kavsons International General Trading, Kavtech Technical Trading Saudi Arabia and a Back office Operations in India. The management and the employees are equally dedicated to our growth by focusing on being a customer centric company.

The goal of Kavalani & Sons is to be an innovative, entrepreneurial and an empowered entity constantly creating values and attaining global benchmarks.

Our aim is to offer our clients **"Economical Solutions"** to help them improve their productivity and performance and in turn actively participate in the GCC's quest to attain regional and global development.





Kavalani caters to upscale brands from across the globe for all our customers, which are available in our latest catalogues.


Kavalani & Sons HIDD



(Head Office/Showroom)

P.O. Box 71, Bldg. No. 2513, Road 1535, Hidd 115
Bahrain Investment Wharf, Kingdom of Bahrain
Tel: +973 6999 0222, Fax: +973 6999 0220, E-Fax: +973 1791 0675

Kavalani & Sons SITRA



(Branch Office/Showroom)

Bldg. No. 775, Road 114
Sitra Industrial Area, Entrance 1, Sitra 601, Kingdom of Bahrain
Tel: +973 1773 2888, Fax: +973 1773 7379

 info@kavalani.com  www.kavalani.com

 /kavalaniwll

 /kavalani_bahrain

 /kavalani-and-sons

 #3800 0458